# 22421

### 23242 3 Hours / 70 Marks

Seat No.								
----------	--	--	--	--	--	--	--	--

*Instructions* : (1) All Questions are *compulsory*.

- (2) Illustrate your answers with neat sketches wherever necessary.
- (3) Figures to the right indicate full marks.
- (4) Assume suitable data, if necessary.

10

### 1. Attempt any FIVE of the following :

- (a) Draw the symbol and write truth table of EX-OR gate.
- (b) Define sum of product with any variable example.
- (c) Draw the symbol and write truth table of 3 input NAND gate.
- (d) List any four application of Flip Flop.
- (e) Define assembler and compiler.
- (f) Draw program status word register of 8051.
- (g) List any two important control signal for external RAM interface with 8051.

### 2. Attempt any THREE of the following :

- (a) Obtain the dual of the following equations :
  - $(1) \quad AB + A = 1$
  - (2) (A + C) (A + B) = A + BC
- (b) Design half adder using K-map and realize it using gates.
- (c) Draw logical diagram of SR flip flop using NAND gate only and explain the operation when S = R = 1 input is given.



### [1 of 4] P.T.O.

- (d) State the term's with reference to logic families :
  - (1) Fan-in and Fan-out
  - (2) Speed of operation and figure of merit

### 3. Attempt any THREE of the following :


(a) Minimize the following expression using K-map & realize using basic gate.

 $Y = \sum m (1, 2, 4, 6, 9, 10, 11, 14, 15)$ 

- (b) Draw the pin diagram of 8051 & label it.
- (c) Explain the following assembler directives ORG, DB, EQU, DATA
- (d) Draw Relay interface diagram with 8051 of port 2 of any pin that glow output blub when relay is ON.

#### 4. Attempt any THREE of the following :

- (a) State the types of addressing modes & identify it for the following instructions :
  - (1) MOV A, @ RO
  - (2) ADD A, # data
- (b) Write an assembly language program to add 35 H and 25 H data and store the 16 bit result in register RO in LSB. R<sub>1</sub> will have MSB.
- (c) What will be the output 'X' in the given circuit ?



- (d) Compare Haward & Von-Neuman architecture (any 4)
- (e) Sketch the internal memory organization in 8051.

12

### 5. Attempt any TWO of the following :

- (a) Draw interface 'LED' with 8051 and to turn ON the LED, write ALP.
- (b) Describe power saving options of 8051 with neat circuit diagram.
- (c) Draw flow chart and write ALP for multiplication of two number  $\Rightarrow 05$  H & 06 H using 8051.

### 6. Attempt any TWO of the following :

- (a) Draw interfacing diagram of 64 K RAM and 64 K ROM with 8051 with proper memory mapping.
- (b) Draw and explain TMOD register of 8051 of each bit.
- (c) Construct 3 bit synchronous up counter using JK FF with Truth table & Waveform.