311302

12425 3 Hours / 70 Marks

| Seat No. | | | | | | | | |
|----------|--|--|--|--|--|--|--|--|
|----------|--|--|--|--|--|--|--|--|

Instructions : (1) All Questions are *compulsory*.

- (2) Answer each next main Question on a new page.
- (3) Illustrate your answers with neat sketches wherever necessary.
- (4) Figures to the right indicate full marks.
- (5) Use of Non-programmable Electronic Pocket Calculator is permissible.
- (6) Mobile Phone, Pager and any other Electronic Communication devices are not permissible in Examination Hall.

1. Attempt any FIVE of the following :

- (a) Find 'x', if $\log_2 (x+2) = 3$
- (b) If $\sin A = 0.4$, find the value of $\sin 3A$.
- (c) Find the acute angle between the lines whose slopes are $\sqrt{3}$ and $\frac{1}{\sqrt{3}}$.
- (d) If $f(x) = 3x^2 5x + 7$, show that f(-1) = 3 f(1).
- (e) Find $\frac{dy}{dx}$, if $y = a^x + x^a + e^a + \log_a x$.
- (f) Find $\frac{dy}{dx}$, if $y = e^x \cdot \sin^{-1}x$.
- (g) Find the range and coefficient of the range of the following :

2, 3, 1, 10, 6, 31, 17, 20, 24



Marks

- 2. Attempt any THREE of the following :
 - (a) If $A = \begin{bmatrix} 2 & -3 \\ 1 & 5 \end{bmatrix}$, $B = \begin{bmatrix} 3 & -1 & 2 \\ 1 & 0 & 1 \end{bmatrix}$, verify that $(AB)^{T} = B^{T} A^{T}$.

(b) Resolve into partial fraction
$$\frac{x}{x^2 - x - 2}$$
.

(c) Simplify
$$\frac{1}{\log_5 10} + \frac{1}{\log_{20} 10}$$
.

(d) If
$$\tan x = \frac{5}{6}$$
 and $\tan y = \frac{1}{11}$, show that $x + y = \frac{\pi}{4}$.

3. Attempt any THREE of the following :

(a) Prove that
$$\frac{\cos A}{1 - \tan A} + \frac{\sin A}{1 - \cot A} = \sin A + \cos A.$$

(b) Without using calculator, prove that

$$\cos 20^\circ \cdot \cos 40^\circ \cdot \cos 60^\circ \cdot \cos 80^\circ = \frac{1}{16}$$

(c) Find the equation of straight line passing through the point of intersection of x + y = 4 and 2x + y = 4 and parallel to x-axis.

(d) Find
$$\frac{dy}{dx}$$
, if $x^3 + y^3 = 30xy$.

4. Attempt any THREE of the following :

(a) If
$$x = a \cos^3 \theta$$
 and $y = a \sin^3 \theta$, find $\frac{dy}{dx}$ at $\theta = \frac{\pi}{3}$.

- (b) Find maximum and minimum value of the function $y = 2x^3 21x^2 + 36x 20$.
- (c) Compute mean deviation for

15, 22, 27, 11, 9, 21, 14, 9

12

[3 of 4]

(d) Calculate mean and Standard Deviation of the following frequency distribution :

| Class Interval | 0 – 10 | 10-20 | 20-30 | 30-40 | 40 - 50 |
|----------------|--------|-------|-------|-------|---------|
| Frequency | 14 | 23 | 27 | 21 | 15 |

(e) Find variance and coefficient of variance for the following distribution :

| Class Interval | 10-20 | 20-30 | 30-40 | 40 - 50 | 50 - 60 | 60 - 70 |
|----------------|-------|-------|-------|---------|---------|---------|
| Frequency | 4 | 6 | 10 | 18 | 9 | 3 |

5. Attempt any TWO of the following :

(a) Solve the following by matrix inversion method :

3x + y + 2z = 3; 2x - 3y - z = -3; x + 2y + z = 4

(b) (i) Prove that
$$\cos^{-1}\left(\frac{4}{5}\right) + \cos^{-1}\left(\frac{12}{13}\right) = \cos^{-1}\left(\frac{33}{65}\right)$$

(ii) If
$$\sin \theta = \frac{15}{17}$$
, where θ lies in 2nd quadrant. Find the value of $\tan \theta$.

- (c) (i) Find the length of perpendicular from the point (5, 4) on the straight line 2x + y = 34.
 - (ii) Find the equation of a straight line that passes through (3, 4) and perpendicular to the line 3x + 2y + 5 = 0.

6. Attempt any TWO of the following :

(a) Find the equation of tangent and normal to the curve $4x^2 + 9y^2 = 40$ at point (1, 2).

(b) (i) Find the radius of curvature of the curve $y = x^3$ at point (2, 8).

(ii) Find
$$\frac{dy}{dx}$$
, if $y = x^{\sin x}$.

P.T.O.

12

311302

[4 of 4]

(c) The scores of two batsmen/batter A and B in ten innings during a certain season as under :

| A | 32 | 28 | 47 | 63 | 71 | 39 | 10 | 60 | 96 | 14 |
|---|----|----|----|----|----|----|----|----|----|----|
| В | 19 | 31 | 48 | 53 | 67 | 90 | 10 | 62 | 40 | 80 |

Find which of two batsmen/batter is more consistent in scoring. Why?